Int. J. Pres. Ves. & Piping **57** (1994) 367–369

Contents of Volume 57

Number 1

1 The large deflection of cylindrical shells on a Kerr foundation
D. N. PALIWAL & R. SRIVASTAVA (India)

7 Progress in life assessment and design methodology for fossil power plant components
T. ENDO (Japan)

21 Rupture of pressurised tubes by multiple cracking and fragmentation
I. J. FORD (UK)

31 The dynamic fracture toughness properties of a Fe-40 Cr alloy: The effect of interstitial solutes
A. C. T. M. VAN ZWIETEN (South Africa) & J. H. BULLOCH (Ireland)

45 An exact elasto-plastic solution for a thick-walled spherical shell of elastic linear-hardening material with finite deformations
G. XIN-LIN (Canada)

57 The analysis of the strengthening of an anisotropic autofrettaged cylindrical vessel
L. DONGXING & Z. HUA (China)

65 The influence of crack closure on the positive load ratio (R) dependence of fatigue threshold stress intensity factor range (ΔK_{th}) of AISI 316 stainless steel in air at room temperature
C. C. PACKIARAJ, S. K. RAY & S. L. MANNAN (India)

71 Predicting crack arrest in a pure tensile loading configuration
E. SMITH (UK)

77 A reliability assessment of reactor pressure vessels
W. F. WU, C. S. SHIN & C. H. TSAI (Taiwan)

85 A reliability analysis of the reinforcement of a large opening in a pressure vessel
Y.-Z. GUO, Z.-J. ZENG & H.-G. YANG (China)

91 Fracture toughness of Charpy-size compound specimens and its application in engineering
X. P. ZHANG & Y. W. SHI (China)

99 Transient thermal stress analysis of a near-edge elliptical defect in a semi-infinite plate subjected to a moving heat source
M.-J. WANG & W.-C. WANG (Taiwan)

111 **Technical Note**
A program for the design of a heat exchanger as per TEMA standards
D. N. PALIWAL, A. RAKHEJA, A. MALIK & M. CHOUHAN (India)

Number 2

131 Large deflection in a shallow spherical shell on an elastic foundation under a concentrated load at the centre
D. N. PALIWAL (India)

135 Creep strain, elliptical release and additional stress of the elbows in main steam piping
L. YU-DE & L. ZI-LI (China)

141 Degradation of mechanical properties of cast Cr–Mo–V and Cr–W–V steam turbine casings after long-term service at elevated temperatures. Part I: Tensile properties, brittle fracture strength and Charpy impact properties
M. HOLZMANN, J. MAN, B. VLACH & J. KRUMPOS (Czech Republic)

Int. J. Pres. Ves. & Piping (**57**) (1994)—© 1994 Elsevier Science Limited.

153 Degradation of mechanical properties of cast Cr–Mo–V and Cr–W–V steam turbine casings after long-term service at elevated temperatures. Part II: Fracture toughness, correlation fracture toughness to Charpy V-notch toughness
M. HOLZMANN, J. MAN, B. VLACH & J. KRUMPOS (Czech Republic)

163 The conservatism of the R6 procedure when applied to the assessment of the integrity of a cracked piping system
E. SMITH (UK)

169 Experimental and analytical fracture assessment of 165-mm diameter AISI 304 seamless piping containing a circumferential through-wall crack
C. S. SHIN, R. P. TSENG & W. T. JAO (Taiwan)

187 Behaviour of circumferentially aligned corrosion pits
B. A. CHOUCHAOUI & R. J. PICK (Canada)

201 The assessment of flaws in a high stress concentration region
Q. HONG, T. YING & S. LIANKUI (China)

207 The Dynamic Viscoplastic Behaviour of Thcick-Walled Spherical Shells
Y.-P. ZHAO, J. FANG & T. X. YU (China)

211 Guillotine failure of fixed-end pipes, pressurized with hot water
R. S. W. SHEWFELT, B. W. LEITCH & D. P. GODIN (Canada)

223 Fracture toughness of materials subjected to a temperature gradient
Q. H. SHAH & H. HOMMA (Japan)

231 Three-dimensional finite element analysis of sphere cylinder intersections under axisymmetric loading
I. J. S. ATTWATER, J. ANDERSON & G. E. FINDLAY (UK)

237 Finite element analysis of limit loads for surface cracks in plates
I. SATTARI-FAR (Sweden)

245 Stress distribution in a ring subjected to a pair of eccentrically applied point leads
D.-L. MA (China)

249 **Research Note**
Crack arrest at the less brittle zone in an RPV wall verified through PTS test work in Japan
MISHIMA, Y (Japan)

Number 3

253 The abrasive wear resistance of the martensitic group 2 and 3 hardfacing materials: The influence of abradent type
J. L. HENDERSON (South Africa) & J. H. BULLOCH (Ireland)

271 Autofrettage—Stress Distribution under load and retained stresses after depressurization
B. AVITZUR (USA)

289 Finite element stress analysis for steady creep
W. XIAONING & W. XUCHENG (China)

297 Brittle fracture toughness—Experimental estimation of RPV materials and their welds containing shallow cracks
B. T. TIMOFEEV & V. V. ANIKOVSKY (Russia)

305 Creep strain growth behaviour of Hastelloy X above 800°C under thermal-stress cyclings
T. UGA (Japan)

311 Some formulae for the effective stress range ratio used in crack growth of 6063-T6 aluminium alloy
R. KUMAR & K. SINGH (India)

321 Failure analysis of bellows under external pressure
Q. YI & C. LONGGEN (China)

327 Creep deformation of induction pressure welded 2.25Cr–1Mo steel
S. AHILA, S. RAMAKRISHNA IYER & V. M. RADHAKRISHNAN (India)

331 New ductility parameters from the tensile test
S. K. RAY, A. K. BHADURI & P. RODRIGUEZ (India)

335 The evaluation of weldment creep strength reduction factors by experimental and numerical simulations
S.-T. TU & R. SANDSTRÖM (Sweden)

345 The tempering performance of low-alloy steel weldments
J. D. PARKER & A. W. J. PARSONS (UK)

353 Response of shielding structures to explosive loading
T. C. K. MOLYNEAUX, L. Y. LI & N. FIRTH (UK)

359 Crack-tip plastic zones assessed by the von Mises yield criterion from strain field data
C. A. WALKER & P. McA. MACKENZIE (UK)

365 Announcements